

## ETP10 - ELECTRIC TRANSFER PUMP

For pumping large volumes of water in sewer bypass, water transfer, bulk dewatering, or well-point dewatering applications.

Stormtec offers a variety of electric transfer pump applications to move large volumes of sewage, liquids, and sludge up to 3 inches in diameter. Our electric transfer pumps are typically mounted on a skid, which can stand-alone or be used in combination with additional equipment.

### FEATURES

- Skids are constructed out of carbon steel epoxy coated with integral lifting lugs for easy transport.
- Fitted 230-volt control panel.
- Automatic float controls.
- Systems can stand alone or be used in combination with additional equipment.

### MATERIAL SPECIFICATIONS

MODEL	ETP10
MAX FLOW	310 GPM (19.6 L/s)
CONNECTIONS	3" x 3"
MAX HEAD	165 FT (50 m)
POWER	230V/40A
APPLICATION	Flooded Suction, Sand Filter Drawdown



# SURFACE PUMPS

## SELF-PRIMING

☰ MENU



### CLOSE-COUPLED - FBSEF

#### FEATURES

- **Volute:** Rugged cast iron construction with a large chamber for rapid self priming
- **Impeller:** Semi-open cast iron ideal for handling fertilizer, salt water, dirty water, or other liquids; blind-hole tapped so liquid will not corrode the shaft
- **Mechanical Seal:** Carbon/ceramic faces; FKM elastomers; 300-series stainless steel components
- **Motor:** Reliable, industry-standard; totally-enclosed; fan-cooled TEFC enclosure



#### SPECIFICATIONS

- Capacities to 295 gpm
- Heads to 92 feet
- 75 psi maximum working pressure
- 212 °F maximum temperature
- Clockwise rotation when viewed from motor end
- NPT pipe connections

#### APPLICATIONS

- Irrigation
- Construction
- Mining
- Commercial
- Municipal
- Light Industrial
- Residential

# SURFACE PUMPS


SELF-PRIMING

MENU



## CLOSE-COUPLED - FBSEF

### PERFORMANCE



### ORDERING INFORMATION

Model	HP	PH	Volts	Suction/Discharge	Order No.	Wt.
FBSEF-150-SC	1 1/2	1	115/230	1-1/4" x 1-1/4"	92932015	52
FBSEF-200-SC	2	1	230	2" x 2"	92932020	60
FBSEF-300-SC	3	1	230	2" x 2"	92932030	71
FBSEF-500-SC	5	1	230	3" x 3"	92932050	165
FBSEF-300-TC	3	3	208-230/460	2" x 2"	92934030	77
FBSEF-500-TC	5	3	208-230/460	3" x 3"	92934050	148
FBSEF-750-TC	7 1/2	3	208-230/460	3" x 3"	92934075	148
FBSEF-500K	5	PE	-	3" x 3"	92920050	50
FBSEF-750K	7 1/2	PE	-	3" x 3"	92920075	60

NOTE: All dimensions in inches. All weight in pounds. Pump end kits (less power).